

JinkoSolar Lights Up Mozambique: Delivering PV Plus ESS Microgrid to Empower Chipera Community

JinkoSolar has delivered a solar plus ESS microgrid





Pre-populat

c

A

SYSTEM TECHNICAL SPECIFICATIONS

| DC Data | JKS270K-250H | JKS810K-250H | JKS1350K-250H |
|---------------------|------------------------|--------------------------|--------------------|
| B C | | (F) | |
| C f C | 5,000 C 1C@25°C 90%D D | 5,000 C 0.5C@25°C 90%D D | |
| C | | 3.2 /96A | |
| B C | 2 11 | 6 11 | 10 11 |
| DC E C | 270 | 810 | 1350 |
| | | 704 | |
| | | 616 792 | |
| B C f | | 485, E | |
| B C | | , C | |
| . | | 1000 | |
| / | | 300/360 | |
| | | 250-850 | |
| @f | | 450-850 | |
| AC Data | | | |
| AC | | 250 | |
| AC | | 275 | |
| | | 400 | |
| AC fC | | 361A | |
| D | | 3% | |
| F | | 1() 1() | |
| F () | | 50/60 | |
| ACC | | 3 + + E | |
| | | 250 | |
| | | 20 | |
| General Data | | | |
| D (*D*) | 2,991*2,438*2,591 | 6,058*2,438*2,591 | 12,192*2,438*2,591 |
| | <10 | <20 | <30 |
| D f | | 54 | |
| | | -20 40 C | |
| | | 0 95% (-) | |
| . | A | 3,000 | |
| C C fDC | | AC | |
| C f | | 485, E , | |
| C | | 9540A, EC62619, CE, 38.3 | |